


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANCON.



NOTES:

1. PART NUMBER: SEE CHART- PAGE 2 OF 2.
2. POST MATERIAL: BRASS ALLOY: BRIGHT ACID TIN OVER NICKEL PLATING.
3. WAFER MATERIAL: THERMOPLASTIC, UL 94 V-0.
4. ALL DIMENSIONS SHOWN IN INCHES & (MILLIMETERS).
5. HEADERS WITH CIRCUIT SIZES OF 2-4 WILL HAVE THE LOCKING BUMP THE FULL LENGTH OF THE BACK WALL. HEADERS WITH CIRCUIT SIZES OF 5-12 WILL HAVE THE LOCKING BUMP ON A TOTAL OF 4 CIRCUITS, 2 CIRCUITS ON EACH END OF THE HEADER.

U.L. RECOGNIZED FILE #E73711



PANCON
CONNECTORS
www.pancon.de / GERMANY
www.panconconnectors.com / USA

Bolingbrook, Illinois

**MAS-CON .156 TAB LOCKING
HEADER, RIGHT ANGLE TAILS**

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(.X) ± -- (.XXX) ± .005
(.XX) ± .02 ANGLES ± --

UNLESS OTHERWISE SPEC-
IFIED, ALL DIMENSIONS
ARE GIVEN IN INCHES.
THIRD ANGLE PROJECTION.

DRAWN BY MAT'L
KGI

DATE
1/8/07
CHK'D

SEE
NOTES

SCALE
1.5:1

DRAWING NO. DWG.
KA 10765 A
Sh. 1 of 2 SIZE

1	6/28 /10	SHC		ADDED PDNI PLATING ALTERNATIVE				
REV	DATE	BY	CHK	DESCRIPTION	CN - R	CUST	SUP	