

M12 POWER panel mount connectors for front mounting M12 POWER panel mount connector, front wall-mounting for power transmission to 60 V/12 A with screw connection or connected PVC single wire: 0,2m





Automation



Mechanical resistance



Assembly time



Space requirement

### Info

DC high-power connector- 60 VDC / 12 A

### Application range

Power Supply for small devices Tool shop Industrial machinery and plant engineering

### **Benefits**

Compact and standardized M12 design saves space and costs Fault proof connection through M12 T coding of the connector face Low voltage drop Individual solutions in the field of M12 power supply Safety use in field environment by high protection class

### **Product Make-up**

PVC single stranded wires, I = 0.2 m (4x AWG16) 4-pin: bn (1), wh (2), bu (3), bk (4) High quality gold-plated contacts

For screw contacts: 0,75 mm<sup>2</sup> - 1,5 mm<sup>2</sup> (AWG 18 - AWG 16)

### Norm references / Approvals

UL File Number: E249137

### **Product features**

Designs for front mounting
Flush type connector with M16 thread and preharnessed wires
Flush-type connector with M20 thread with screw contacts
contact durability: > 100

### **Technical Data**

Coding: T - Power

Material: Contact: CuZn

Contact surface: Au (gold)

Rated current (A): 12 A
Protection rating: IP67

Ambient temperature (operation): -40 °C to +85 °C





### Note

Unless specified otherwise, the shown product values are nominal values. Detailed values (e.g. tolerances) are available upon request.

Photographs are not to scale and do not represent detailed images of the respective products. M16 or M20 locknuts not included in delivery

### Rated voltage (V) Part number Article designation Number of pins Panel mount connector (male) with screw connection, M20 thread 60 22262014 AB-C4-M12MST-M20-PO Panel mount connector (female) with screw connection, M20 thread 22262015 AB-C4-M12FST-M20-PO 60 Panel mount connector (male) with PVC single cores, M16 thread 60 22262016 AB-C4-M12MST-M16-0,2 Panel mount connector (socket) with PVC single cores, M16 thread 22262017 AB-C4-M12FST-M16-0,2 60



